

Index

Symbols

- #
 - in properties file 14-1
- *
 - keyword 16-4
 - operator on XML element content 15-3
- **
 - keyword 16-4
- +
 - operator on XML element content 15-3
- /
 - in properties file 14-1
- ?
 - operator on XML element content 15-3

A

- About LogBook button 1-4
- Activate User button 12-3
- activating users 12-3
- Add Selected Entries to a Thread menu option 8-19
- Add User button 12-2
- adding users 12-2
- administrative password 12-1
- administrative tasks
 - activating a user 12-1, 12-3
 - adding a user 12-1, 12-2
 - editing user information 12-1, 12-4
- Administrator button 1-3, 12-1
- AFS
 - launching CRL from 2-2, 11-5
 - prep on local machine 10-9
- aging entries 5-3
- annotate archived entry 8-13
 - from web 8-15
- Annotate button in archived entry 8-13
- annotations 1-12
 - set directory for storing 14-4
- anonymous entries 14-2
- Apache Web Server 10-2
 - installation 13-1
- application output
 - including in logbook entry 3-8
 - viewing thumbnail 3-8
- application output files
 - entry type class 16-16
- Archive All non-archived Entries in this Topic menu option

- 5-2
- Archive Selected Entries menu option 5-2
- archived entries
 - annotate 8-13, 8-15
 - search 1-3
 - search via Inquiries 8-1
 - search via LogEntry Explorer 8-1, 8-8
 - search via web 8-10
 - set directory for storing 14-1
- archiving 1-12
 - and threading entry 5-1
 - entry signers 5-1
 - form entry features 5-1
 - reminders 5-3
 - setting operator name 5-1
- attaching messages to entries 1-4, 3-11
- attributes in DTD file 15-4
- auto-linked keyword 4-7
- automating logbook entry 6-1
- autoscheduled container 6-2
 - class 16-16
 - definition 1-8
- autoscheduled logbook entry
 - description 6-1
 - parameters 6-2
 - terminate job 6-3

B

- binary files
 - as logbook entry 3-8
 - export from report 8-18
 - set export directory 14-4
- browse paths 1-11
 - configuring 14-1, 14-3
 - locating files to insert in entries 3-3

C

- Cancel Inquiry button 8-8
- category
 - checking 3-2
 - define 11-7
 - definition 1-7
 - keyword config (category type) 16-4
 - selecting from pull-down menu 3-1
- Category filter for Inquiries 8-6
- Change Active User button 12-4
- change administrative password 12-1
- Change Password button 1-3
- changing your password 2-7
- character set for writing XML, define 14-1
- Check Category menu option 4-3
- checkpoint 1-12
 - configure interval 14-2
 - delete entry 4-7, 4-10
 - recover entry 4-10
- checkpoint container 1-9
 - class 16-16
 - editing an entry 4-11
 - menu options 4-11
 - purging 4-11

- Checkpoint Recovery button 1-4, 4-7, 4-10
- class libraries for CRL 16-15
- command output as logbook entry 3-10
- command, executing in form 17-8
- configuration files
 - * operator 15-3
 - + operator 15-3
 - ? operator 15-3
 - class libraries 15-4, 16-15
 - default inquiry XML file listing 17-14
 - DTD
 - attribute lists 15-2, 15-4, 16-1
 - attributes 15-4
 - element type content and operators 15-3
 - element type declarations 15-3
 - element types 15-2, 16-1
 - sample attribute list 15-5
 - sample element type declaration 15-5
 - element types
 - EntryInputPage 16-7
 - InitialTabs 16-5
 - Keyword 16-4
 - LogBookConfig 16-3
 - Menu 16-8
 - Page 16-6
 - SubMenu 16-8
 - ToolBar, LogBook entry 16-12
 - ToolButton 16-12
 - Topic 16-9
 - element types (for forms) 17-1
 - element types (for inquiries)
 - filter 17-14
 - LogBookReports 17-14
 - form objects, sample XML 17-4
 - forms 17-1
 - LogBookConfig.dtd 15-1
 - file listing 16-1
 - LogBookConfig.xml 15-1
 - LogBookInquiryConfig.dtd 15-1
 - file listing 17-14
 - LogBookInquiryConfig.xml 15-1
 - table element in form, sample XML 17-7
 - XML
 - See XML
- configuring CRL
 - define keywords 11-6
 - define new desktop page 11-7
 - define new forms 11-8
 - define new menu 11-7
 - define toolbar 11-8
 - define toolbutton images 11-8
 - define toolbuttons 11-8
 - desktop 11-6
 - JVM installation, preinstalled 11-2
- configuring web access 13-1
- container
 - (See input, report, thread, autoscheduled, checkpoint container)
 - checkpoint 1-9
 - define topic for 11-7
 - definition 1-7
 - Edit menu 4-5
 - input 1-7, 1-8
 - menu options (checkpoint container) 4-10, 4-11
 - menu options (input container) 4-1
 - menu options (report container) 8-16
 - menu options (thread containers) 7-2
 - report 1-9, 8-1, 8-16
 - scheduled 1-8, 6-2
 - select multiple entries 4-3
 - select single entry 4-3
 - status bar 1-7
 - thread 1-9, 7-2
 - verifying category 3-2
- container class
 - autoschedule 16-16
 - checkpoint 16-16
 - input 16-15
 - report 16-16
 - thread 16-16
- container size
 - configure default 16-11
 - setting 3-3
- control key shortcuts 1-12
- conventions, notational 1-3
- copy text from VT100 window 4-5
- copy/cut/paste/ 4-5
- copy-to-clipboard menu option 4-5
- creating a report 8-16
- creating keywords 11-6
- CRL
 - components 10-2
 - installed via InstallShield 10-3
 - configure desktop 11-6
 - define new forms 11-8
 - desktop 1-2
 - description 1-5
 - desktop page 1-5
 - development overview 1-1
 - distribution platforms 10-1
 - feature overview 1-2
 - Fermi AFS installation 11-5
 - installation requirements 10-2
 - installing from tar file 10-9
 - installing on Windows 10-6
 - installing via UPD 10-9
 - invocation script, modifying 11-4
 - invocation script, sample 11-3
 - invoking application 11-4
 - launch from AFS 2-2
 - launch from Linux 2-1
 - launch from Windows 2-1
 - launching application 11-4
 - parts of the application 1-1
 - toolbar 1-2
 - description 1-3
 - uninstalling 10-11
 - use with preinstalled JVM 11-2
 - workspace 1-5
- CRL class libraries 16-15
- CRL configuration file 11-6, 16-1
- CRL Java properties 14-1
- CRL properties file
 - (See properties file)
- CRL toolbar buttons
 - About LogBook 1-4
 - Administrator 1-3
 - Change Password 1-3
 - Checkpoint Recovery 1-4
 - Current Situation 1-4

- Entry Signers 1-3
- Exit LogBook 1-5
- Log In/Log Out 1-3
- Preferences 1-4
- Scheduler 1-4
- Search 1-3
- Thread Explorer 1-4
- CRL Web Access
 - See web access
- Cross Ipen® support 3-9
- Ctrl-Alt-D for date&time 1-11, 3-10
- Current Situation 3-11
 - changing message 3-12
 - turning off message 3-12
 - turning on message 3-11
- Current Situation button 1-4
- cut/copy/paste 4-5
- cut-to-clipboard menu option 4-5

D

- data entry
 - binary files 3-8
 - command output 3-10
 - form 3-4
 - freehand drawings 3-9
 - general info 3-3
 - images 3-6
 - output from applications 3-8
 - program output 3-10
 - ROOT plots 3-8
 - text from keyboard 3-4
- data entry type 1-11
 - configuring 16-13
 - supported types 3-3
- data loss
 - protection against 4-10
- data types for logbook entry 1-10
- database
 - information in properties file 11-1
 - queries (see Inquiries)
 - requirement for running CRL 10-2
 - set dbms name in properties file 14-6
 - set driver in properties file 14-5
 - set location in properties file 14-5
 - set pointers from XML entries to db 14-5
 - set protocol in properties file 14-6
 - set server IP address in properties file 14-6
 - set username in properties file 14-6
 - set username's password in properties file 14-6
 - set vendor in properties file 14-5
 - set version in properties file 14-5
- date&time shortcut key 1-11, 3-10
- Date/Time filter for Inquiries 8-2
- debugging value, set 14-1
- defining desktop page in CRL 11-7
- defining keywords 11-6
 - application-wide 11-7
 - category/topic 11-6
 - data type 11-6
 - desktop page 11-6
 - input container 11-6
- defining menu in CRL 11-7

- defining new form in CRL 11-8
- defining toolbar in CRL 11-8
- defining toolbuttons in CRL 11-8
- Delete Selected Entries from a Thread menu option 8-19
- deleting CRL application 10-11
- deleting entries 4-6
 - checkpoint deletion 4-7
- desktop 1-2
 - description 1-5
 - menus 1-6
 - objects 1-5
 - opening input container on 3-1
- desktop page 1-5
 - configuring 16-6, 16-7
 - keyword config (page type) 16-4
 - page tab 1-5
- desktop page class
 - entry input page 16-17
 - report page 16-17
- directory
 - annotation storage 14-4
 - binary file export 14-4
 - files to be inserted into entries 3-3, 14-3
 - form config files 14-3
 - histogram storage 14-4
 - HTML entry storage 14-4
 - inquiry storage 11-2, 14-3
 - logbook entry storage 11-1
 - mail list files 14-4
 - temporary dir for PS/PDF files 14-4
 - XML entry storage 14-3
- directory for html entry storage 13-1
- directory for inquiry storage 11-2
- directory for logbook entry storage 11-1
- display of entry header 1-4
- double-click shortcuts 1-11
- DTD files
 - attribute lists 15-2, 16-1
 - element type declarations 15-3
 - element types 15-2, 16-1
 - file listing
 - CRL application 16-1
 - forms 17-1
 - Inquiries 17-14
 - introduction 15-1
 - operators used in 15-3

E

- Edit menu 4-2, 4-5
 - copy-to-clipboard menu option 4-5
 - cut-to-clipboard menu option 4-5
 - paste-from-clipboard menu option 4-5
 - Redo menu option 4-4, 4-6
 - Select-all menu option 4-4
 - Undo menu option 4-4, 4-6
- editing properties file 11-1
- element syntax for XML 16-2
- element type declarations (XML) 15-3
- email forms 3-4
 - configuring 11-10, 11-11
 - maillist files 11-10, 11-11
- email id as username 2-3

- embedded forms 11-9, 11-12
- encapsulated PS file
 - as entry, configuring 11-15
- entering data
 - binary files 3-8
 - command output 3-10
 - external program 9-1
 - form 3-4
 - freehand drawings 3-9
 - images 3-6
 - output from applications 3-8
 - process logger 9-1
 - ROOT plots 3-8
 - text from keyboard 3-4
- Entries menu 4-2, 8-16
 - Add Selected Entries to a Thread menu option 8-19
 - Archive All non-archived Entries in this Topic menu option 5-2
 - Archive Selected Entries menu option 5-2
 - Delete Selected Entries from a Thread menu option 8-19
 - Print All Entries in this Topic 4-11
 - Print All Entries in this Topic menu option 8-18, 8-19
 - Print Selected Entries 4-11
 - Print Selected Entries menu option 8-18
 - Remove All Entries in this Topic menu option 4-6, 5-3, 8-18
 - Remove Selected Entries menu option 4-6, 5-3, 8-18
 - Select ALL Entries menu option 4-4
 - Send ALL Entries To Mail Recipient 4-11
 - Send ALL Entries To Mail Recipient menu option 8-18
 - Send Selected Entries To Mail Recipient 4-11
 - Send Selected Entries To Mail Recipient menu option 8-18
 - Un-select ALL Entries menu option 4-4
- entry category definition 1-7
- entry container
 - definition 1-7
 - scheduled entries, definition 1-8
 - See also input container
- entry format description 1-10
- entry header
 - creating 3-2
 - display 1-4
 - set preferences 1-10
- entry header properties 14-3
- entry input container
 - creating entry in 3-2
 - definition 1-8
 - opening 3-1
- entry input page
 - configuring 11-7, 16-7
 - definition 1-5
 - desktop page class 16-17
 - displaying 3-1
 - making logbook entries on 3-3
- Entry Signers 2-2, 2-4
 - add/remove usernames 2-3
 - archiving an entry 5-1
 - description 2-3
 - list 2-3
 - Operator field of entry 2-3
- Entry Signers button 1-3
- entry topic
 - configuring 11-7, 16-9
 - input type classes 16-11
 - definition 1-7
 - selecting for use 3-1
- entry type class
 - form 16-16
 - image 16-16
 - IPen 16-16
 - OS command 16-16
 - output from external app 16-16
 - text 16-16
- Entry Type filter for Inquiries 8-3
- entry type, selecting 3-2
- Execute Inquiry button 8-7
- Exit LogBook button 1-5
- export of binary files
 - export directory 14-4
 - from report 8-18
- external application output in entry 3-8
- external application, copy content
 - non-X 4-5
 - X app 4-5

F

- features of CRL 1-2
- features of logbook entries 1-11
- file name for thread 7-1
- filter entries 14-2
- filters for logbook entry search
 - Category 8-6
 - Date/Time 8-2
 - Entry Type 8-3
 - Keywords 8-5
 - Operators 8-4
 - Word Search 8-6
- find archived entries 8-1
- flpr 11-17
- Font menu 4-2, 4-6
- font size
 - of logbook entry text 4-6
 - setting the default 14-1
- form entry
 - actions on archive 5-2
 - configuration 11-8
 - alignment 11-9
 - element types 11-9
 - email completed form 11-9, 11-10
 - embedded forms 11-9, 11-12
 - helpful hints 11-15
 - Line tag rules 11-9
 - reload selected fields 11-9, 11-12
 - repeat blocks 11-10
 - tables 11-9, 11-11
 - toolbar 11-9
 - configuration for embedded forms 17-8
 - configuration for script/command execution 17-8
 - configuration sample 17-4
 - configure destination mail address 16-14
 - configure mail subject 16-15
 - configure sender of emailed form 16-14
 - configuring automatic email feature 11-10, 11-11
 - creating 3-4

- default XML file for end of shift form 17-3
- default XML file for start of shift form 17-3
- DTD file 17-1
- embedded forms 11-9, 11-12
- entering data 3-4
- program execution within forms 3-5
- program/script execution 11-9
- reloadable fields 11-9, 11-12
- reloading data 3-6
- repeatable blocks 3-5
- saving data for reload 5-2
- script execution within forms 3-5
- send to mail list 5-2
- set directory for storing 14-3
- specify XML config file 16-14
- tables within forms 3-6
- form objects 17-4
- Found "n" button 8-7
- freehand drawing
 - creating entries 3-9
- function key shortcuts 1-12

G

- global messages 1-4, 1-11, 3-11
 - changing 3-12
 - turning off 3-12
 - turning on 3-11

H

- halt inquiry during execution 8-8
- header for logbook entry 1-10
 - display 1-4
 - set preferences 1-4
- histograms
 - including in logbook entry 3-8
 - set directory for storing 14-4
 - viewing thumbnail 3-8
- host for email, configuring 14-4
- HTML
 - comparison to XML 15-1
 - configure storage directory for HTML archives 14-4
 - entry storage 1-1
 - define directory 13-1

I

- image entry 3-6
 - configure max image size 14-2
 - from file 3-8
 - from toolbutton 3-8
 - from URL 3-8
- image file
 - entry type class 16-16
 - file types 3-6
 - specifying image file 16-14
- imagemagick executable path, configuring 14-5
- images
 - configure max image size 14-2

- images, thumbnail 3-6
 - for PS/PDF files, configuring 11-15
- input container
 - adding entries to thread 7-6
 - Archive All non-archived Entries in this Topic menu
 - option 5-2
 - Archive Selected Entries menu option 5-2
 - Check Category menu option 4-3
 - class 16-15
 - copy-to-clipboard menu option 4-5
 - creating a thread 7-4
 - cut-to-clipboard menu option 4-5
 - definition 1-7, 1-8
 - Edit menu 4-2
 - editing an entry 4-1
 - Entries menu 4-2
 - Font menu 4-2, 4-6
 - Insert menu 4-2
 - inserting logbook entry 3-2
 - keywords 4-7
 - menu options 4-1
 - opening 3-1
 - paste-from-clipboard menu option 4-5
 - Remove All Entries in this Topic menu option 5-3
 - Remove Selected Entries menu option 5-3
 - Select ALL Entries menu option 4-4
 - shortcut for adding date/time 3-10
 - shortcut for creating entry 3-3
 - short-cut keys 3-3
 - Un-select ALL Entries menu option 4-4
 - verifying category 3-2
 - verifying category and topic 4-3
- Inquiries 8-1
 - cancelling 8-8
 - Category filter 8-6
 - configuration 11-16
 - configuration files 17-14
 - creating 8-2
 - Date/Time filter 8-2
 - description 8-1
 - directory for storing 14-1, 14-3
 - editing 8-8
 - Entry Type filter 8-3
 - executing 8-7
 - Keywords filter 8-5
 - Operators filter 8-4
 - restoring 8-8
 - saving 8-8
 - web-based 8-9
 - Word Search filter 8-6
- insert form entry 3-4
- Insert menu 4-2
 - Date & Time 3-10
 - image from file 4-2
 - image from URL 4-2
 - replace text by program output 3-4
 - text from file 4-2
 - text from program output 3-4
- insert PostScript/PDF file 3-8
- insert text from program 3-10
- installation requirements 10-1
- installing CRL 10-1
 - components 10-2
 - from tar file 10-9
 - on Linux 10-9

- on Windows 10-6
 - requirements 10-2
 - supported OS 10-1
 - via UPD 10-9
- InstallShield Multi-Platform Edition 10-1
- interface description 1-2
- internet access
 - See web access
- invoking CRL 2-1, 11-4
 - from Linux 2-1
 - from Windows 2-1
 - in AFS 2-2
- IPen file
 - entering into logbook 3-9
 - entry type class 16-16
- Ipen functionality, enabling 11-2

J

- Java 1-1, 10-1, 10-2
- java classes 16-15
 - container 16-15
 - desktop page 16-17
 - entry types 16-16
 - topic 16-15
- Java properties, CRL 14-1
- Java Server 13-2
- JDK 11-2
- JRE 10-1, 11-2
- JSP 13-2
- JVM 10-3
 - using your own installation 11-2

K

- keys, shortcut 1-11, 1-12, 3-3
 - date&time 1-11, 3-10
- keyword icon 1-10, 3-2, 4-8
- keywords 1-12
 - attaching to entry 4-7
 - automatically linked 4-7
 - category type
 - configuring for menu/submenu 16-8
 - configuring for topic 16-12
 - class attribute for entry type 16-4
 - configure as auto insert 16-4
 - configure as nonremovable 16-4
 - configure as removable 16-4
 - configuring 16-4
 - default 4-7
 - defining in config file 11-6
 - definition of 4-7
 - editing list (for an entry) 4-8
 - entry data type, configuring for toolbar 16-14
 - nonremovable 4-7
 - overall type, configuring 16-3
 - page type, configuring 16-7
 - removable 4-7
 - type definitions
 - category type 16-4
 - entry type 16-4
 - overall type 16-4

- page type 16-4
- Keywords filter for Inquiries 8-5

L

- launching CRL 2-1, 11-4
 - from Linux 2-1
 - from Windows 2-1
 - in AFS 2-2
- location of database 14-5
- Log In/Log Out 2-5
 - Entry Signers config 2-3
 - PIN and password 2-5
 - username and password 2-3
- Log In/Log Out button 1-3
- logbook entry
 - add/change/replace text 4-4
 - adding entries from one thread to another 7-9
 - adding entries to a thread 7-5
 - allow/prevent anonymous 14-2
 - allow/prevent filtering 14-2
 - annotating 8-13
 - attaching keywords 4-8
 - global 4-9
 - automating 6-1
 - autoscheduled 6-1
 - scheduling parameters 6-2
 - terminate job 6-3
 - category 1-7
 - changing text font 4-6
 - checkpoint 14-2
 - configure max image size 14-2
 - configuring web access 13-1
 - control key shortcuts 1-12
 - create pointers in SQL database 14-5
 - creating 3-2
 - Ctrl-Alt-D for date&time 1-11, 3-10
 - cut/copy/paste text 4-5
 - data types 1-10, 3-3
 - date&time entry key 1-11, 3-10
 - default settings for header display 14-3
 - deleting (unarchived) 4-6
 - deleting checkpoint entry 4-7
 - deleting entries from thread 7-9
 - double-click shortcut 1-11
 - double-click to create 3-3
 - entries left unarchived 5-3
 - features 1-11
 - form archive features 5-1
 - format description 1-10
 - function key shortcuts 1-12
 - header description 1-10
 - keyword config (entry type) 16-4
 - keywords attached to 4-7
 - keywords automatically displayed 14-3
 - mailing entries in a thread 7-8
 - printing 4-11
 - printing entries in a thread 7-8
 - PS/PDF file entry, configuration 11-15
 - recover checkpointed entry 4-10
 - refresh to see annotations 8-14, 8-15
 - reminder to archive 14-2
 - reminder to archive or delete 1-12

- removing from container 5-3
- removing from view (archived) 5-3
- removing keywords 4-8
 - global 4-9
- scheduled (see autoscheduled)
- searching for
 - in CRL 8-1
 - on the web 8-9
- select/deselect in container 4-3
- selecting entries 4-3
- selecting text within 4-4
- send to email recipient 4-11
- setting browse directory for input files 14-3
- setting default font size 14-1
- setting directory for entry storage 14-3
- signing 2-3
- summary of features 1-11
- threading entries 7-1
 - at archive time 5-1
- topic 1-7
- view/sort entries in a thread 7-7
- viewing archived entries 8-1
- logbook entry database
 - creating an inquiry 8-2
 - executing an inquiry 8-7
 - restoring an inquiry 8-8
 - saving an inquiry 8-8
 - searching via Inquiries 8-1
 - searching via LogEntry Explorer 8-1, 8-8
- LogBook Entry toolbar 1-10
- LogBook_admin directory 14-1
- LogBookConfig.xml file 11-6
- LogbookConfigParms.properties file See properties file
- LogEntry Explorer 8-1
 - description 8-8
- logging in 2-2, 2-4
 - Entry Signer config 2-3
 - login id 2-3
 - PIN config 2-6
- logging out
 - Entry Signers config 2-5
 - PIN config 2-7
- login methods 2-2
 - configuring 14-2
- login timeout prompt 14-2
- logout prompting 14-2
- lpr 11-17

M

- mail list directory, configuring 14-4
- mail list files for emailing forms
 - contents and format 11-10, 11-11
- mailing entries
 - from user interface 4-11
- mailing form entry to mail list 5-2
 - from user interface 4-11
- mailing forms
 - return address 14-4
- menu
 - configuration 11-7, 16-8
 - define 11-7
 - description 1-6

- menu items
 - configuring lowest level (topic) 16-9
 - configuring varying levels 16-8
- message, attaching to entries 3-11
- message, global 1-4
- methods for login 2-2
- mouse rollover on toolbar, config 16-13
- MySQL database 10-2

N

- nagging 5-3
 - See reminder to archive
 - set repeat interval 14-2
 - set start interval 14-2
- nonremovable keyword 4-7
- notational conventions 1-3

O

- objects usable in forms 17-4
- Operator field of entry
 - entry signer list 5-1
 - Entry Signers config 2-3
 - PIN config 2-5
- operators (for XML elements) 15-3
- Operators filter for Inquiries 8-4
- OS command entry
 - adding logbook entry 3-10
 - entering user-specified command 3-10
 - entry type class 16-16
 - specifying preset command 16-14

P

- page
 - configuring (data-input) 16-7
 - configuring (non-data-input) 16-6
 - defining a new page 11-7
 - definition 1-5
 - entry input 1-5
 - no entry input 1-5
- page tab 1-5
 - defining 11-7, 16-5
 - select 3-1
- parameters for CRL, setting 14-1
- password
 - administrative 12-1
 - changing (user) 1-3, 2-7
 - for login 2-2
 - length 2-3, 2-7
 - user 2-3
- paste/cut/copy 4-5
- paste-from-clipboard menu option 4-5
- PDF files
 - adding 3-8
 - as entry, configuration 11-15
 - set temporary directory in properties file 14-4
 - set viewer in properties file 14-5
 - viewing 3-9

- PIN 2-2, 14-2
 - length 2-5
 - Operator field of entry 2-5
 - using at archive time 2-5
 - using at login 2-5
- plain text entries
 - creating 3-4
 - definition 3-4
- Plog (See process logger)
- PostScript files
 - adding 3-8
 - as entry, configuration 11-15
 - set temporary directory in properties file 14-4
 - viewer, set in properties file 14-5
 - viewing 3-9
- Preferences button 1-4
- preferences for entry header lines 1-4
- preparation for use of CRL 11-1
 - AFS 10-9
- Print All Entries in this Topic menu option 8-18, 8-19
- print queues, configuring 11-17
- Print Selected Entries menu option 8-18
- printing a report 8-16
- printing entries 4-11
- process logger 1-1, 9-1
 - definition 9-1
 - entry content 9-1
 - entry message elements 9-2
 - input format 9-2
 - programmer instructions 9-1
 - return messages 9-3
 - sample program 9-3
 - starting the daemon 11-17
- properties file
 - configuration parameters 14-1
 - description 14-1
 - edit before initial launch 11-4
 - guidance on editing 11-1
 - required edits 11-1
 - set database information 11-1
- PS files See PostScript files
- PS/PDF file view configuration 11-15
- PS/PDF files
 - set temporary directory in properties file 14-4
- pull-down menu
 - description 1-6

R

- Redo menu option 4-4, 4-6
- refresh browser window to see annotations 8-15
- Refresh button in archived entry 8-13
- refresh entry to see annotations 8-14
- reloadable form fields 11-9, 11-12
- reminders to archive 1-12, 5-3
- removable keyword 4-7
- Remove All Entries in this Topic menu option 4-6, 5-3, 8-18
- Remove Selected Entries menu option 4-6, 5-3, 8-18
- removing CRL application 10-11
- repeat block in form entry 11-10
- report
 - creating 8-16
 - description 8-16

- export binary files 8-18
- printing 8-16, 8-18
- Report Category menu 8-17
- report container 8-1, 8-16
 - Add Selected Entries to a Thread menu option 8-19
 - class 16-16
 - definition 1-9
 - Delete Selected Entries from a Thread menu option 8-19
 - Entries menu 8-16
 - inserting archived entries into 8-17
 - menu options 8-16
 - Print All Entries in this Topic menu option 8-18, 8-19
 - Print Selected Entries menu option 8-18
 - Remove All Entries in this Topic menu option 8-18
 - Remove Selected Entries menu option 8-18
 - Report Category menu 8-17
 - Send ALL Entries To Mail Recipient option 8-18
 - Send Selected Entries To Mail Recipient menu option 8-18
- report entry
 - removing from container 8-18
 - selecting 8-18
- report page
 - desktop page class 16-17
- requirements
 - CRL installation and running 10-2
 - CRL Web Access 10-2
- Restore Inquiry button 8-8
- root element type (XML) 16-3
- ROOT plots
 - entry 3-8

S

- Save Inquiry button 8-8
- scheduled container (see autoscheduled container)
- scheduled logbook entry (see autoscheduled logbook entry)
- Scheduler button 1-4
- scheduling parameters (see autoscheduled logbook entry)
- script for invoking CRL 11-3
 - modify 11-4
- script, executing in form 17-8
- search archived entries 1-12
 - Inquiries 8-1
 - LogEntry Explorer 8-1
- Search button 1-3, 8-1
- Select ALL Entries menu option 4-4
- select multiple entries 4-3
- select single entry 4-3
- Select-all menu option 4-4
- selecting entries 4-3, 8-18
- Send ALL Entries To Mail Recipient menu option 8-18
- Send Selected Entries To Mail Recipient menu option 8-18
- server for email, configuring 14-4
- setting container size 3-3
- shortcut
 - create entry 1-11
 - date&time 1-11, 3-10
 - double-click to create entry 3-3
- signing logbook entries 2-3
- SQL database information 14-1
- starting process logger daemon 11-17

- status bar on container 1-7
- smtp mail host, configuring 14-4
- submenu configuration 11-7, 16-8
- syntax for XML elements 16-2
- system requirements 10-1

T

- table in form entry 11-9, 11-11
 - scrollable fields after archive 3-6, 8-7, 8-8, 8-17
- tar file of CRL, installing 10-9
- TCP ports for plog 11-17
- temporary directory for PS/PDF files 14-4
- text entries 3-4
 - creating 3-4
 - entry type class 16-16
- thread 1-12
 - adding entries from input container 7-6
 - adding entries from thread container 7-6
 - adding entries to (general) 7-5
 - adding entries to thread at archive time 5-1
 - adding entry from another thread 7-9
 - creating (general) 7-3
 - creating from input container 7-4
 - creating from thread container 7-5
 - creating from Thread Explorer 7-4
 - creating new at archive time 5-1
 - deleting entries from 7-9
 - deleting thread 7-10
 - description 7-1
 - file name 7-1, 7-3
 - listing current threads 7-1
 - mailing entries 7-8
 - printing entries 7-8
 - sorting entries 7-7
 - Thread Explorer 7-1
 - viewing entries 7-7
- thread container 1-9
 - adding entries to thread 7-6
 - adding entry to different thread 7-2
 - class 16-16
 - creating a thread 7-5
 - deleting entry from thread 7-2
 - description 7-2
 - mailing entries 7-2
 - printing thread 7-2
 - selecting entries 7-2
 - sort entries 7-2
 - viewing a thread 7-2
- Thread Explorer
 - creating a thread 7-1, 7-4
 - deleting a thread 7-1
 - description 7-1
 - dropping thread into container 7-1
 - selecting thread to view 7-7
- Thread Explorer button 1-4
- thumbnail for PS/PDF
 - configuring 11-15
- thumbnail images
 - entering gif or jpg files 3-6
 - for binary file 3-8
 - PS/PDF file 3-9
- time zone, define 14-2
- time/date shortcut key 3-10
- timeout prompt for login 14-2
- Tomcat 10-2, 13-2
 - installation 13-1
- toolbar button (CRL)
 - About LogBook 1-4
 - Administrator 1-3
 - Change Password 1-3
 - Checkpoint Recovery 1-4
 - Current Situation 1-4
 - Entry Signers 1-3
 - Exit LogBook 1-5
 - Log In/Log Out 1-3
 - Preferences 1-4
 - Scheduler 1-4
 - Search 1-3
 - Thread Explorer 1-4
- toolbar button (LogBook entry)
 - configuring 16-12
 - text vs image 16-13
- toolbar, CRL 1-2
 - description 1-3
- toolbar, LogBook entry 1-10
 - configure entry types 16-12
 - configuring 16-12
 - data input page configuration 16-7
 - defining 11-8
 - using 3-2
- toolbutton configuration 11-8
 - image for button 11-8
- topic
 - (of logbook entry) definition 1-7
 - as configured in menus and submenus 16-8
 - attribute list 16-9
 - configuring 16-9
 - define 11-7
 - selecting from pull-down menu 3-1

U

- unarchived entries
 - reminder to archive 5-3
- Undo menu option 4-4, 4-6
- uninstalling CRL 10-11
- Un-select ALL Entries menu option 4-4
- UPS/UPD 10-9
 - launch CRL 2-1
 - UPD kit for CRL 10-1
- user categories
 - administrator 12-2, 12-4
 - operator 12-2, 12-4
 - remote user 12-2, 12-4
- user interface description 1-2
- username 2-3

V

- verify container category 3-2
- view annotations on entry 8-14
- view annotations via web 8-15
- view PostScript/PDF file 3-9
- viewer for PDF files, configuring 14-5

viewer for PS files, configuring 14-5
VT100 window, copy text 4-5

W

web access 1-1
 additional software installation 13-1
 canned inquiries 8-11
 canned inquiry, configure 13-3
 configuring 13-1
 define search criteria 8-10
 inquiry page features 8-10
 javaserver page, configure 13-2
 JSP info sources 13-3
 keywords table, configure 13-2
 NOT_<keyword>, configure 13-2
 one-click searches 8-11
 one-click searches, configure 13-3
 requirements for 10-2
 to logbook entry database 8-9
Word Search filter for Inquiries 8-6
workspace description 1-5

X

X application 4-5
Xerces 10-3
XML 1-1
 attributes in DTD file 15-4
 comparison to HTML 15-1
 declaration in file 16-2
 element content 15-3
 element operators 15-3
 element syntax 16-2
 elements in DTD file 15-3
 entry storage 1-1
 introduction 15-1
 reference for CRL 15-1
 sample element with attributes 15-2
 valid vs. well-formed 15-1
XML file for end of shift form 17-3
XML file for form showing embedded forms 17-8
XML file for form showing object use 17-4
XML file for form showing table element 17-7
XML file for inquiry feature 17-14
XML file for start of shift form 17-3